

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCI United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/457,208	12/07/1999	MARUTHI BHASKAR	CISCP127	7417
22434	7590 11/06/2003		EXAMINER	
BEYER WEAVER & THOMAS LLP P.O. BOX 778			SHAH, CHIRAG G	
	° CA 94704-0778		ART UNIT	PAPER NUMBER
ŕ			2664	

DATE MAILED: 11/06/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

<u>~</u>							
	_	Application No.	Applicant(s)				
Office Action Summary		09/457,208	BHASKAR, MARUTHI				
		Examiner	Art Unit				
		Chirag G Shah	2664				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
THE I - Exter after - If the - If NO - Failu - Any	ORTENED STATUTORY PERIOD FOR REPL MAILING DATE OF THIS COMMUNICATION. nsions of time may be available under the provisions of 37 CFR 1. SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a repoperiod for reply is specified above, the maximum statutory period are to reply within the set or extended period for reply will, by statuting the period by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, however, may a reply be to ly within the statutory minimum of thirty (30) da will apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDON	imely filed ys will be considered timely. In the mailing date of this communication. ED (35 U.S.C. § 133).				
1)🖂	Responsive to communication(s) filed on <u>08</u>	September 2003 .					
2a)⊠	This action is FINAL . 2b) T	his action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. Disposition of Claims							
4)🖂	Claim(s) 1-23 and 27-46 is/are pending in the	e application.					
	4a) Of the above claim(s) is/are withdrawn from consideration.						
5)🖂	5)⊠ Claim(s) <u>24-26 and 47</u> is/are allowed.						
6)⊠	6)⊠ Claim(s) <u>1-23, and 27-46</u> is/are rejected.						
7)	7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or election requirement.							
Application Papers							
9) The specification is objected to by the Examiner.							
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.							
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
11) The proposed drawing correction filed on is: a) approved b) disapproved by the Examiner.							
If approved, corrected drawings are required in reply to this Office action.							
12) The oath or declaration is objected to by the Examiner.							
Priority under 35 U.S.C. §§ 119 and 120							
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
a)!	☐ All b)☐ Some * c)☐ None of:		·				
	1. Certified copies of the priority documen	ts have been received.					
	2. Certified copies of the priority documents have been received in Application No						
Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.							
14) 🗆 A	Acknowledgment is made of a claim for domest	tic priority under 35 U.S.C. § 119	(e) (to a provisional application).				
	The translation of the foreign language pr Acknowledgment is made of a claim for domes	• •					
Attachmen	-						
2) Notice 3) Inform	ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449) Paper No(s)	5) 🔲 Notice of Informa	ry (PTO-413) Paper No(s) I Patent Application (PTO-152)				
U.S. Patent and T PTO-326 (Re		Action Summary	Part of Paper No. 9				

Art Unit: 2664

DETAILED ACTION

Claim Rejections - 35 USC § 112

1. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Referring to claims 1, 11, 21, 22, 26, 28, and 46 rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. The specification on page 10, lines 10-12 does not support, "... the load value corresponding to an actual amount of demand for each service class."

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1, 2-6, 11-16, and 21 rejected under 35 U.S.C. 103(a) as being unpatentable over Ruszczyk (U.S. Patent No. 6,205,150) in view of Blake et al. (RFC 2475).

Referring to claims 1, 2, 11, 12, 21, Ruszczyk discloses a method of scheduling higher and lower priority data packets. Ruszczyk discloses in figure 4 and respective portions of the

Art Unit: 2664

specification of receiving a plurality of packets into a selected ingress router, each packet belongs to (either a high priority queue or low priority queue) a selected one of a plurality of service classes and the packets being transmitted to a particular destination. Ruszczyk further teaches in column to lines 10-60 and figure 4 and respective portions of the specification that data packets at various data rates or bandwidth class of service are sent from any or all of CPE. The routers place data packets into combination queues. Once the sorter places data packets in a higher priority or lower priority queue, the router schedules the data packets to be transmitted for execution. Ruszczyk further discloses in figure 3 that the router periodically monitors a combination queue for the presence of data packets for transmission. However, Ruszczyk fails to explicitly disclose of metering a load value for each service class and the particular destination of at least one of the packets and periodically transmitting one or more tickets to the destination to indicate the load value for each of the one or more service class. Blake discloses on pages 14-15 of an architecture for differentiated service Blake further discloses on pages 17 and 18 that the destination is selected one of the egress node/router as claim. Blake further discloses on page 15 and figure 1 and respective portions of the specification of a traffic meter that measures the properties of the stream of packets, implying metering the load value for each service class and the particular destination of at lease one of the packets. Blake further discloses on page 10 of applying an integrated service/RSVP model that allows sources and receivers to exchange signaling messages, which establish additional packet between them. RSVP protocol works to reserve certain service features of the network and signal that a number of packets will follow this same path. It serves to forward functionality like priority to ensure the required class of service. Therefore, it would have been obvious to one of ordinary skill in the art to modify the

Art Unit: 2664

teachings of Ruszczyk to include the teachings of Blake to ensure that metering and reserving of signaling message for each priority class enhances the scheduling and allocating of resources with respect to priority more reliably and efficiently.

Referring to claims 3-6 and 13-16, Ruszczyk discloses a method of scheduling higher and lower priority data packets. Ruszczyk discloses in figure 4 and respective portions of the specification of receiving a plurality of packets into a selected ingress router, each packet belongs to (either a high priority queue or low priority queue) a selected one of a plurality of service classes and the packets being transmitted to a particular destination. Ruszczyk further teaches in column to lines 10-60 and figure 4 and respective portions of the specification that data packets at various data rates or bandwidth class of service are sent from any or all of CPE. The routers place data packets into combination queues. Once the sorter places data packets in a higher priority or lower priority queue, the router schedules the data packets to be transmitted for execution. Ruszczyk further discloses in figure 3 that the router periodically monitors a combination queue for the presence of data packets for transmission. Ruszczyk fails to disclose of one or more tickets (or each ticket) indicate a total number of streams (or a single stream) for each class (or particular class) that is being transmitted to the destination (same). Blake discloses on page 10 of applying an integrated service/RSVP model that allows sources and receivers to exchange signaling messages, which establish additional packet between them. RSVP protocol works to reserve certain service features of the network and signal that a number of packets will follow this same path. It serves to forward functionality like priority to ensure the required class of service. This ensures that number of streams (packets) with respect to class based priority is reserved and transmitted to a same destination, thus implying, number of packets will follow the

Art Unit: 2664

reserved path. Therefore, it would have been obvious to one of ordinary skill in the art to modify the teachings of Ruszczyk to include the teachings of Blake to ensure reserving of signaling message for each priority class enhances the transmitting of streams to destination with respect to priority more reliably and efficiently.

4. Claims 7-10 and 17-20 rejected under 35 U.S.C. 103(a) as being unpatentable over Ruszczyk in view of Blake as applied to claims 1, 2-6, 11-16, and 21 above, and further in view of Yin (U.S. Patent No. 6,442,138).

Referring to claims 7-10, and 17-20, Ruszczyk in view of Blake disclose of sending one or more tickets to a router reserving certain service features of the network and signal that a number of packets will follow this same path. Ruszczyk in view of Blake fails to disclose that the selected core router is configured to allow the selected core router to dynamically allocate resource based on the current load of each class. Yin teaches of a system that determines the allocated bandwidth for the specified class of service. Yin discloses in figure 1, column 3, lines 65 to column 2, lines 13 of providing dynamic allocation of bandwidth resources, adapting to changing network configurations and changing network traffic. As the bandwidth allocation is modified or updated by the CAC, a corresponding signal is provided to queue scheduler to adjust the manner in which queue are serviced by queue selector. Thus, implying one or more tickets are only transmitted (after a elapsed, predetermined time) for a particular class when the load value has changed for such service class. In addition to what Yin discloses in figure 1, column 3, lines 65 to column 2, lines 13, Yin further discloses in column 6 lines 1 to column 7 lines 61 that the node or router is configured to allow the node to dynamically allocate resources based on the

Art Unit: 2664

current load of each class and the tickets facilitate assured forward routing service performed by the core router. Therefore, it would have been obvious to one of ordinary skill in the art to modify the teachings of Ruszczyk in view of Blake to include the teachings of Yin in order to ensure maximum utilization of the available bandwidth.

5. Claims 22, 23, 27, and 28 rejected under 35 U.S.C. 103(a) as being unpatentable over Ruszczyk in view of Blake, and further in view of Yin (U.S. Patent No. 6,442,138).

Ruszczyk discloses a method of scheduling higher and lower priority data packets. Ruszczyk discloses in figure 4 and respective portions of the specification of receiving a plurality of packets into a selected ingress router, each packet belongs to (either a high priority queue or low priority queue) a selected one of a plurality of service classes and the packets being transmitted to a particular destination. Ruszczyk further teaches in column to lines 10-60 and figure 4 and respective portions of the specification that data packets at various data rates or bandwidth class of service are sent from any or all of CPE. The routers place data packets into combination queues. Once the sorter places data packets in a higher priority or lower priority queue, the router schedules the data packets to be transmitted for execution. Ruszczyk further discloses in figure 3 that the router periodically monitors a combination queue for the presence of data packets for transmission. However, Ruszczyk fails to explicitly disclose of metering a load value for each service class and the particular destination of at least one of the packets and periodically transmitting one or more tickets to the destination to indicate the load value for each of the one or more service class. Blake discloses on pages 14-15 of an architecture for differentiated service Blake further discloses on pages 17 and 18 that the destination is selected one of the egress node/router as claim. Blake further discloses on page 15 and figure 1 and

Art Unit: 2664

respective portions of the specification of a traffic meter that measures the properties of the stream of packets, implying metering the load value for each service class and the particular destination of at lease one of the packets. Blake further discloses on page 10 of applying an integrated service/RSVP model that allows sources and receivers to exchange signaling messages, which establish additional packet between them. RSVP protocol works to reserve certain service features of the network and signal that a number of packets will follow this same path. It serves to forward functionality like priority to ensure the required class of service. Therefore, it would have been obvious to one of ordinary skill in the art to modify the teachings of Ruszczyk to include the teachings of Blake to ensure that metering and reserving of signaling message for each priority class enhances the scheduling and allocating of resources with respect to priority more reliably and efficiently. Ruszczyk in view of Blake disclose of sending one or more tickets to a router reserving certain service features of the network and signal that a number of packets will follow this same path. Ruszczyk in view of Blake fails to disclose that the selected core router is configured to allow the selected core router to dynamically allocate resource based on the current load of each class. Yin teaches of a system that determines the allocated bandwidth for the specified class of service. Yin discloses in figure 1, column 3, lines 65 to column 2, lines 13 of providing dynamic allocation of bandwidth resources, adapting to changing network configurations and changing network traffic. As the bandwidth allocation is modified or updated by the CAC, a corresponding signal is provided to queue scheduler to adjust the manner in which queue are serviced by queue selector. Thus, implying one or more tickets are only transmitted (after a elapsed, predetermined time) for a particular class when the load value has changed for such service class. In addition to what Yin discloses in figure 1, column 3,

Art Unit: 2664

Page 8

lines 65 to column 2, lines 13, Yin further discloses in column 6 lines 1 to column 7 lines 61 that the node or router is configured to allow the node to dynamically allocate resources based on the current load of each class and the tickets facilitate assured forward routing service performed by the core router. Therefore, it would have been obvious to one of ordinary skill in the art to modify the teaching of Ruszczyk in view of Blake to include the teachings of Yin in order to ensure maximum utilization of the available bandwidth.

Allowable Subject Matter

6. Claims 24-26 and 47 allowed.

Response to Arguments

7. Applicant's arguments filed 9/8/03 have been fully considered but they are not persuasive.

Referring to claims 1, 11, 21, 22, 26, 28, and 46 rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. The specification on page 10, lines 10-12 does not support, "... the load value corresponding to an actual amount of demand for each service class."

Art Unit: 2664

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, THIS ACTION IS MADE FINAL. See MPEP § 706.07(a). Applicant is

reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any response to this final action should be mailed to:

Box AF

Commissioner of Patents and Trademarks Washington, D.C. 20231

Or faxed to:

(703) 305-9051, (for formal communications; please mark "EXPEDITED PROCEDURE)

Or:

(703) 305-5403 (for informal or draft communications, please label "PROPOSED" or "DRAFT")

Hand-delivered responses should be brought to Crystal Park II, 2021 Crystal Drive, Arlington, VA., Sixth Floor (Receptionist).

Page 9

Art Unit: 2664

Page 10

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chirag G Shah whose telephone number is 703-305-5639. The examiner can normally be reached on M-F 8:30 to 5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wellington Chin can be reached on 703-305-4366. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-3900.

cgs